



Vestible mortice locks and latches.

Available in a range of functions for egress application.

Locks are deadlatched upon closing of door.

Finishes

SS Stainless Steel

PB Polished Stainless Steel

PS Polished Brass

When ordering, add relevant finish code to form complete catalogue number.

List escutcheons and turnbuttons separately – Refer to page 3.15, 3.25 and 3.30.

Latchbolt

14mm Standard latchbolt

Backsets Available


23mm.


Special Keying

Each locking function can be specially keyed in a Gainsborough 6 pin tumbler system to meet the needs of commercial or residential building requirements. Locks can be keyed alike, master keyed, grand master keyed, maison keyed and project keyed – Refer to page 1.5 for details.


GR9 Profile also available for keying to residential series locksets.

Limiting Dimensions





2000/SP01 32mm UNIVERSAL STRIKE







2400 Series Mortice Vestibule Deadlatching Locks

PRODUCT	DESCRIPTION	CATALOGUE NO.
Entrance Office Lock	Cylinder and Turnbutton.	
	Latchbolt operated by handles either side. Outside handle is locked or unlocked by either key from outside or turnbutton inside.	24 JA
	Inside handle always free for immediate exit.	
	Auxiliary bolt deadlatches when door is closed.	
Entrance Office lock	Cylinder and Turnbutton.	
(With dual function)	Latchbolt operated by handles either side. Outside handle is locked or unlocked by either key from outside or turnbutton inside.	24KA
	Key from outside can be rotated thus retracts latchbolt or unlocks outside handle. (A counter action for vandalism to outside handle).	
	Inside handle always free for emergency exit.	
	Auxiliary bolt deadlatches when door is closed.	
Classroom Lock Single Cylinder	Cylinder Outside.	
(With dual function)	Latchbolt operated by handles either side. Outside handle is locked or unlocked by key from outside.*	24KO
	Inside handle always free for immediate exit.	
	Auxiliary bolt deadlatches when door is closed.	
	*Key outside can be rotated either way, thus retracts latchbolt or unlocks outside handle.	
Classroom Lock	Cylinder Outside.	
	Latchbolt operated by handles either side. Outside handle is locked or unlocked by key from outside.	24VO
	Inside handle always free for immediate exit.	
	Auxiliary bolt deadlatches when door is closed.	

Finish Codes: PB Polished Brass **PS** Polished Stainless Steel **SS** Stainless Steel **Note:** Add finish code to above to form complete catalogue number e.g. 24JA PB





2400 Series Mortice Vestibule Deadlatching Locks

PRODUCT	DESCRIPTION	CATALOGUE NO.
Exit Lock Double Cylinder	Double Cylinder.	
	Latchbolt operated by handles either side. Outside handle is locked or unlocked by key from inside. Outside cylinder retracts latchbolt.	24CV
	Inside handle always free for immediate exit.	
	Auxiliary bolt deadlatches when door is closed.	
Exit Lock Single Cyllinder	Cylinder Inside.	
	Latchbolt operated by handles either side. Outside handle is locked or unlocked by key from inside.	24 OV
	Inside handle always free for immediate exit.	
	Auxiliary bolt deadlatches when door is closed.	
Entry & Storeroom Door	Cylinder Outside.	
	Key outside retracts latchbolt. Outisde handle is rigid at all times.	24CO
	Inside handle always free for immediate exit.	
	Ideal for use with electric strike (ES1000 12 or 24 volt).	
	Auxiliary bolt deadlatches when door is closed.	
Double Cylinder	Double Cylinder.	
	Latchbolt operated by handles either side. Outside handle is locked or unlocked by key from both sides.	24VV
	Inside handle always free for immediate exit.	
	Auxiliary bolt deadlatches when door is closed.	

Finish Codes: PB Polished Brass **PS** Polished Stainless Steel **SS** Stainless Steel **Note:** Add finish code to above to form complete catalogue number e.g. 24VO PS





2400 Series Mortice Vestibule Deadlatching Locks

PRODUCT	DESCRIPTION	CATALOGUE NO.
Entrance Office Lock	Cylinder and Turnbutton.	
	Latchbolt operated by handles either side. Outside handle is locked or unlocked by turnbutton inside. Key outside retracts latchbolt.	24CA
	Inside handle always free for immediate exit.	
	Auxiliary bolt deadlatches when door is closed.	
Exit Latch	Turnbutton Inside.	
	Latchbolt operated by handles either side. Outside handle is locked or unlocked by turnbutton inside.	24 OA
	Auxiliary bolt deadlatches when door is closed.	
Exit Latch	No cylinder or turnbutton.	
	Latchbolt operated by handles inside. No outside handle.	24EO
	Auxiliary bolt deadlatches when door is closed.	

Finish Codes: PB Polished Brass **PS** Polished Stainless Steel **SS** Stainless Steel **Note:** Add finish code to above to form complete catalogue number e.g. 24VO PS

