

TOUCH BAR

The Exidor Touch Bar combines smooth stylish lines with quality engineering to provide the best solution for emergency exits, stylish enough for the most integrated of interiors.

Certified to BS hEN 1125, the range is available as a single, two or three point system with catches both vertical and horizontal. As from 1st April 2002 the range will carry the CE mark for safety.

Gainsborough

EXIDOR

EMERGENCY EXIT HARDWARE

The Touch Bar Emergency Exit Hardware range offers many advantages and options. For full details and dimensions on the Touch Bar range to BS hEN 1125 and other Exidor products in the range, refer to the product catalogue, available upon request.


- Non-handed

- Available as Single, Two or Three Point
- Cylinder Mortice Night Latch Actuators available
- Two standard sizes
- Other sizes available upon request
- CE marked for safety
- Certified for use on fire doors
- Built-in Dogging Device as standard
- Anti-thrust on Single and Three point units
- Available with vertical or horizontal catches
- Patented Lip to prevent intentional or accidental jamming
- Integral Grip to pull doors closed
- Available with built-in alarm upon request
- Available with built-in microswitches upon request
- Standard Colours Silver, Gold or Black with Green Touch Pad
- Available Brass or Stainless Steel Plated
- Available in most RAL finishes


All measurements in mm

58









80

3 POINT TOUCH BAR

55

108

OUTDOOR ACCESS DEVICES

TOUCH BAR














Touch Bars with Vertical and Horizontal Pullman Catches



CONSTRUCTION

Main body and Touch Bar are of rolled steel section. The internal components are zinc plated steel and pressure diecast aluminium. The latch bolt and catches are stainless steel with the catch covers in die cast aluminium.

FINISHES

A choice of epoxy powder coated silver, gold, white and black with a green touch pad are available as standard. Most RAL and Hewi colours can be supplied upon request. Plated finishes are also available.

STANDARD SIZES

Two standard sizes are available, one for 692 - 900mm openings and one for 872 -1200mm openings. Both units will fit doors up to 2420mm high. The Touch Bar units are designed so that no cutting down to the width is necessary on site. For special widths the manufacturer will supply the units to the exact size requested, thus eliminating the chances of components being mislaid or Touch Bars being re-assembled incorrectly.



Gainsborough Hardware Industries Limited

Sales Hotline: 1300 361 077 Sales Fax Hotline: 1300 361 088 www.gainsboroughhardware.com.au